

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/715,568		11/19/2003	Setsuo Mishima	Q78557	5060
23373	7590	03/07/2006		EXAMINER	
SUGHRU			MCNELIS, KA	ATHLEEN A	
SUITE 800		IA AVENUE, N.W.	ART UNIT	PAPER NUMBER	
WASHINGTON, DC 20037				1742	

DATE MAILED: 03/07/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/715,568	MISHIMA ET AL.				
Office Action Summary	Examiner	Art Unit				
•	Kathleen A. McNelis	1742				
The MAILING DATE of this communication a						
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REF WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory perions - Failure to reply within the set or extended period for reply will, by state that the provided provided by the Office later than three months after the material patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNIC 1.136(a). In no event, however, may a reposed will apply and will expire SIX (6) MONT tute, cause the application to become ABA	ATION. ply be timely filed  CHS from the mailing date of this communication.  ANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 2/2	<u>21/2006</u> .					
2a)⊠ This action is <b>FINAL</b> . 2b)☐ TI	· · · · · · · · · · · · · · · · · · ·					
3) Since this application is in condition for allow	•					
closed in accordance with the practice unde	er <i>Ex parte Quayle</i> , 1935 C.D.	11, 453 O.G. 213.				
Disposition of Claims						
4) Claim(s) 1-8 is/are pending in the application	n.					
4a) Of the above claim(s) is/are withd	rawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-8</u> is/are rejected.	,					
7) Claim(s) is/are objected to.	d/or alastian requirement					
8) Claim(s) are subject to restriction and	a/or election requirement.					
Application Papers						
9)☐ The specification is objected to by the Exam						
10)☐ The drawing(s) filed on is/are: a)☐ a	, ,					
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the corr						
Priority under 35 U.S.C. § 119						
12) ☐ Acknowledgment is made of a claim for forei a) ☐ All b) ☐ Some * c) ☐ None of:	ign priority under 35 U.S.C. §	119(a)-(d) or (f).				
<ol> <li>Certified copies of the priority docume</li> </ol>						
2. Certified copies of the priority docume	•	•				
3. Copies of the certified copies of the p		received in this National Stage				
application from the International Bure * See the attached detailed Office action for a l	•	received				
See the attached detailed Office action for a r	ist of the defined copied not.					
Attachment(s)	A) [] Intention: C	ummary (PTO-413)				
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> </ol>	Paper No(s	)/Mail Date				
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/Paper No(s)/Mail Date	1   4	formal Patent Application (PTO-152) 				

Art Unit: 1742

#### **3Claims Status**

Claims 1-8 remain for examination wherein claims 1 and 5 are amended.

# **Status of Previous Rejections**

The previous rejection of claim 5 under 35 U.S.C. 112 2<sup>nd</sup> paragraph is withdrawn in view of applicants' amendment of the claim.

The previous rejections of claims 1-8 under 35 U.S.C. 103(a) are withdrawn in view of applicants' amendments of the claims.

#### **DETAILED ACTION**

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein

Art Unit: 1742

were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP 2001-214212<sup>1</sup> in view of Floreen (U.S. Pat. No. 4,443,254) and JP-56-090957<sup>2</sup>.

JP 2001-214212 (JP '212) discloses a method for producing Ti-containing maraging steel (¶ 0001) by vacuum inducting melting as in instant claim 2 followed by vacuum arc re-melting (¶ 0002) as in instant claims 1 and 3. JP '212 discloses manufacturing a thin strip of 3.5 mm thickness (¶ 0017) which is within the range of not more than 0.5 mm in instant claims 4, 5 and 6. The size of the nitride inclusions is limited to 10 µm (¶ 0004), which is within the claimed range of ≤ 15 µm in instant claim 5. The composition disclosed by JP '212 compared with instant claims is as follows:

Component	Instant (from Claim 6	JP '212 (¶ 0012)
	unless otherwise noted)	
С	≤ 0.01 %	≤ 0.01%
Ni	8.0% to 22.0%	16 – 26%
Со	5.0 to 20.0%	5-16%
Мо	2.0 to 9.0 %	2-10%
Ti	0.3% ≤ Ti ≤ 2.0%	0.1 to 2.0%
Al	≤ 1.7 %	0.03- 0.4%
Mg	≥ 5 ppm ( <u>claim 1</u> )	Not stated
	0 < Mg < 10 ppm ( <u>claim 5</u> )	
	0 < Mg < 10 ppm ( <u>claim 6</u> )	

<sup>&</sup>lt;sup>1</sup> Based on abstract and machine translation of detailed description section of the patent. Machine assisted human translation will be provided by USPTO when available.

<sup>&</sup>lt;sup>2</sup> Based on abstract and oral translation by USPTO translator. Written translation will be provided by USPTO when available.

Application/Control Number: 10/715,568

Art Unit: 1742

Component	Instant (from Claim 6	JP '212 (¶ 0012)
	unless otherwise noted)	
0	< 10 ppm	Not stated
N	< 15 ppm	Not stated
Impurities + Fe	Balance	Remainder

The carbon content in JP '212 of ≤ 0.01% is the same as the claimed range of ≤ 0.01%. The range disclosed in JP '212 of 16-26% nickel content overlaps with the claimed range of 8.0% to 22.0%. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a nickel content of between 16 and 22% in the maraging steel of JP '212, since JP '212 discloses that any nickel content between 16 and 26% has equal utility. The range disclosed by JP '212 of from 5-15% cobalt is within the claimed range of between 5 and 20%. The range disclosed by JP '212 of from 0.1 to 2.0% Ti overlaps the claimed range of 0.3% ≤ Ti ≤ 2.0%. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a titanium content of between 0.3 and 2.0% in the maraging steel of JP '212, since JP '212 discloses that any titanium content between 0.1 and 2.0% has equal utility. The range disclosed by JP '212 of from 0.03 to 0.4% aluminum is within the claimed range of between ≤1.7%.

With respect to <u>claims 1, 5 and 6, JP</u> '212 does not disclose adding Magnesium to the steel.

Floreen discloses a method for producing a cobalt-free maraging steel (abstract) containing nickel (17 – 19%), molybdenum (1-4%), titanium (1.25-2.5%) aluminum (0.25 to 0.3%) and up to 0.03% carbon, balance iron, trace additives and impurities (col. 1 line 64- col. 2 line 21). With the exception of cobalt, the ranges of primary alloying elements

Art Unit: 1742

are within, overlapping or close to the ranges in the instant claims and JP '212. The maraging steel is preferably produced by vacuum induction melting, followed by vacuum arc remelting. Magnesium is added for deoxidizing and/or malleabilizing purposes (col. 3 lines 11-16) up to 0.25% (col. 5 lines 9-10). A stated objective in JP '212 is reduction of impurities including oxygen (¶ 0002). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use magnesium as taught by Floreen in the maraging steel production process of JP '212 as a deoxidizer as taught by Floreen. The range of up to 0.25% overlaps the claimed ranges of ≥ 5 ppm (claim 1) and 0 < Mg < 10 ppm (claims 5 and 6). It would have been obvious to one of ordinary skill in the art at the time the invention was made to control the amount of Mg addition to between 5 and 10 ppm since Floreen teaches equal utility of Mg as an additive for deoxidization up to 0.25%.

Page 5

The maraging steel in Floreen does not contain cobalt. JP 56-090957 (JP '957) teaches a method of producing maraging steel containing cobalt, nickel, molybdenum and titanium wherein magnesium is added (abstract) as a deoxidizing agent and to improve the maraging steel's resistance to stress corrosion cracking (p. 3). While JP '957 does not disclose the same production method as JP '212 in view of Floreen, this prior art is cited as evidence that magnesium can be used as a deoxidizer in a maraging steel containing cobalt as well as titanium, nickel, aluminum and molybdenum alloying elements. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use magnesium as taught by Floreen and JP '957 in the

Application/Control Number: 10/715,568

Art Unit: 1742

production of maraging steel in the process of JP '212 to deoxidize as taught by Floreen and JP '957.

With respect to claim 5, JP '212 in view of Floreen and JP '957 does not disclose that the content of the spinel form inclusions having a size of not less than 10  $\mu$ m in length divided by the total content of the spinel form inclusions having a size of not less than 10  $\mu$ m in length plus the alumina inclusions having a size of not less than 10  $\mu$ m in length is more than 0.33.

However, as discussed above, the composition and method of making the maraging steel taught by JP '212 in view of Floreen and JP '957 is substantially the same as that of the instant invention. Therefore, it is inherent that the proportion of nonmetallic inclusions of spinel and alumina should be substantially the same in JP '212 in view of Floreen and JP '957 as the instant invention.

With respect to <u>claim 6</u>, JP '212 in view of Floreen and JP '957 discloses a maraging steel with substantially the same composition of carbon, nickel, cobalt, molybdenum titanium aluminum and magnesium as discussed above.

JP '212 in view of Floreen and JP '957 does not specifically state that the content of oxygen is less than 10 ppm or nitrogen less than 15 ppm.

JP '212 discloses the reduction of impurities such as nitrogen and oxygen as an objective (¶ 0002). Further, Floreen uses magnesium as a deoxidizer and the process disclosed by both JP '212 and Floreen is substantially the same as that of the instant invention. Therefore it is inherent that the content of impurities in JP '212 in view of Floreen and JP '957 would be substantially the same or similar to the instant invention.

## Response to Arguments

Applicant's arguments with respect to claims 1-8 have been considered but are most in view of the new ground(s) of rejection.

#### Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kathleen A. McNelis whose telephone number is 571-272-3554. The examiner can normally be reached on M-F 8:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King can be reached on 571-272-1244. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/715,568

Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 1742

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

ROY KING PATENT EVANAINED

Page 8

SUPERVISORY PATENT EXAMINER TECHNICLOGY CENTER 1700